

Amendments to the Claims

This listing of claims will replace all prior version, and listings, of claims in the application:

Listing of Claims:

1-13. (Canceled)

14. (Currently amended) ~~The A method for installing a covering system of claim 9, further comprising the following steps:~~

~~(e)(a) removing—removing a second—release liner from a backside one or more portions of each of at least one two or more roofing peripheral peripherals to expose a second a pre-applied adhesive on at least a portion of said backside of on each of the one or more portions of each of said the roofing peripherals; and~~

~~(d)—adhering(b) adhering said the two or more building structure peripheral peripherals to said first one or more thermoplastic membranes using said second the pre-applied adhesive, wherein the one or more thermoplastic membranes are affixed to a building structure.~~

15-17. (Canceled)

18. (Currently amended) A method for installing a flashing comprising:

providing a universal flashing having a pre-applied adhesive on one or more portions thereof; and

adhering said the universal flashing to at least two or more surfaces that are at one or more angles angle to each other using the pre-applied adhesive, wherein said flashing is adhered to a the two or more surfaces are part of one or more thermoplastic membranes affixed to a building structure and/or a membrane adhered to said building structure.

19. (Currently amended) The method of ~~claim 17~~Claim 18, wherein ~~said the~~ universal flashing is adhered to ~~at least three~~ or more surfaces that are at angles with respect to each other.

20. (Currently amended) The method of ~~claim 19~~ Claim 19, wherein at least one of ~~said the~~ three surfaces is part of a thermoplastic membrane covering at least part of an exterior corner of ~~said the~~ building structure.

21. (New) The method of Claim 14, wherein the building structure is a roof.

22. (New) The method of Claim 14, wherein the building structure is a roof and other types of building structures adjacent to or extending from the roof.

23. (New) The method of Claim 14, wherein the two or more building structure peripherals comprise two or more different types of building structure peripherals.

24. (New) The method of Claim 14, wherein one or more of the building structure peripherals is a flashing.

25. (New) The method of Claim 24, wherein the flashing is a semi-rigid flashing.

26. (New) The method of Claim 24, wherein the flashing is a universal flashing.

27. (New) The method of Claim 14, wherein one or more of the building structure peripherals is a pipe boot.

28. (New) The method of Claim 18, wherein said membrane includes a UV absorber and/or a UV screener.

29. (New) The method of Claim 18, wherein the universal membrane includes a fire retardant.

30. (New) The method of Claim 18, wherein the universal membrane further comprises a release liner that is releasably bonded to the pre-applied adhesive.

31. (New) The method of Claim 18, wherein the pre-applied adhesive comprises styrene-ethylene-butylene-styrene.